
Incassi

Istruzioni di installazione / Installation instruction

ART. 054025 (DX) **ART 054026 (SX)**










OPERATORE CONTROLLO FILETTI

Timbro:

Per installatore: Al fine di garantire la durata del prodotto installare rubinetti con filtro da pulire periodicamente. Effettuare risciacquo delle tubazioni prima di installare il prodotto (PUNTO 1) Eventuali residui se finissero all'interno della cartuccia potrebbero causarne il danneggiamento For installator: In order to guarantee a long duration of the product install valves with filter, which have to be regulary cleaned (POINT 1). Carry out the rinsing of the pipes before install the tap. Some external materials may demage the cadrige if not removed before the installation.








	X	Y
LIFE - MOVIDA	43÷63	50
JEANS - BABY-S	42÷57	50
BAMBU' - BELLINI	42÷50	45


PER TUTTE LE ALTRE SERIE VEDERE SCHEDA **TECNICA DEDICATA**

FOR ALL OTHER SERIES SEE DEDICATED **TECHNICAL SHEET**

		
1/2"5	Z Z	
	60	







MADE IN ITALY

DESIGN

MADE IN ITALY

This product has been entirely manufactured in Italy, by top quality raw materials



ufficio tecnico BELLOSTA C.A. 12/20 ISO 9001:2015







